ELSEVIER

Journal of Immunological Methods 202 (1997) 217–218

JOURNAL OF IMMUNOLOGICAL METHODS

Contents of volume 202 (1997)

Number 1 – 10 March 1997

Research reports

Isolation and purification of CD14-negative mucosal macrophages from normal human small intestine
P.D. Smith, E.N. Janoff, M. Mosteller-Barnum, M. Merger, J.M. Orenstein, J.F. Kearney and M.F. Graham (USA) 1

Production of recombinant MART-1 proteins and specific antiMART-1 polyclonal and monoclonal antibodies: use in the characterization of the human melanoma antigen MART-1
Y. Kawakami, J.K. Battles, T. Kobayashi, W. Ennis, X. Wang, J.P. Tupesis, F.M. Marincola, P.F. Robbins, V.J. Hearing, M.A. Gonda and S.A. Rosenberg (USA) 13

A comparison of conventional microscopy, immunofluorescence microscopy and flow cytometry in the detection of *Giardia lamblia* cysts in beaver fecal samples
B.R. Dixon, M. Parenteau, C. Martineau and J. Fournier (Canada) 27

Improved technique for cannulation of the murine thoracic duct: a valuable tool for the dissection of immune responses
M. Ionac, T. Laskay, D. Labahn, G. Geisslinger and W. Solbach (Germany) 35

Interleukin-10 immunoadhesin production by a replication-defective adenovirus
E. Anglade, D.M. Sullivan and K.G. Csaky (USA) 41

A murine model of pulmonary damage induced by lipopolysaccharide via intranasal instillation
R.J. Szarka, N. Wang, L. Gordon, P.N. Nation and R.H. Smith (Canada) 49

Whole-blood incubation method to study neutrophil cytoskeletal dynamics
M. Mineshita, T. Kimura, H. Murai, C. Moritani, S. Ishioka, M. Kambe and M. Yamakido (Japan) 59

Detection of fibronectin expression by human endothelial cells using a enzyme-linked immunosorbent assay (ELISA): enzymatic degradation by activated plasminogen
O.A. Daramola, R.S. Heyderman, N.J. Klein, G.I. Shennan and M. Levin (UK) 67

An in vitro method to obtain T-lymphocyte-like cells from the trout
A. Estepa and J.M. Coll (Spain) 77

Quantification of apolipoprotein D by an immunoassay with time-resolved fluorescence spectroscopy
G. Knipping, G. Gogg-Fassolter, B. Frohnwieser, F. Krempler, G.M. Kostner and E. Malle (Austria) 85

Letter to the Editors

Binding parameters of antibodies reacting with multivalent antigens: functional affinity or pseudo-affinity
M.J. Mattes (USA) 97

Notes to authors 103

Number 2 – 28 March 1997

Research reports

A sensitive flow cytometric method for measuring the oxidative burst
M.A. Model, M.A. KuKuruga and R.F. Todd III (USA) 105

High resolution autoantibody detection by optimized protein G-horseradish peroxidase immunostaining in a Western blotting assay
G.R. Hu, P. Harrop, R.S. Warlow, M.L. Gacis and R.S. Walls (Australia) 113

Isolation and characterization of mouse nasal-associated lymphoid tissue
H. Asanuma, A. Hodson Thompson, T. Iwasaki, Y. Sato, Y. Inaba, C. Aizawa, T. Kurata and S.-i. Tamura (Japan, USA) 123

A highly sensitive fluorescent micro-assay of H_2O_2 release from activated human leukocytes using a dihydroxyphenoxazine derivative
J.G. Mohanty, J.S. Jaffe, E.S. Schulman and D.G. Raible (USA) 133

Analysis of human interleukin-5 gene transcription by a novel nuclear run on method based on the polymerase chain reaction
F.G. Rolfe and W.A. Sewell (Australia) 143

Comparative analysis of methods for collection and measurement of immunoglobulins in cervical and vaginal secretions of women
A. Quesnel, S. Cu-Uvin, D. Murphy, R.L. Ashley, T. Flanigan and M.R. Neutra (USA) 153

A non-radioactive complement-dependent cytotoxicity assay for anti-CD20 monoclonal antibody
H. Gazzano-Santoro, P. Ralph, T.C. Ryskamp, A.B. Chen and V.R. Mukku (USA) 163

Immunochemical approach to the mapping of an assembled epitope of human chorionic gonadotropin: proximity of CTP-α to the receptor binding region of the β-subunit
N. Venkatesh and G.S. Murthy (India) 173

Preservation of the pattern of tyrosine phosphorylation in human neutrophil lysates
A. Al-Shami, C. Gilbert, F. Barabé, M. Gaudry and P.H. Naccache (Canada, France) 183

Cell display library for gene cloning of variable regions of human antibodies to hepatitis B surface antigen
K. Higuchi, T. Araki, O. Matsuzaki, A. Sato, K. Kanno, N. Kitaguchi and H. Ito (Japan) 193

A simple method for the flow cytometric analysis of intracellular antigens in whole smooth muscle cells: quantification of cyclin-dependent kinase 2
J. Sindermann, K.A. Weigel and G. Breithardt (Germany) 205

Letter to the Editors

Effects of thrombospondin purified by heparin affinity or ion-exchange chromatography on the alternative complement pathway
P.E. Scott, D.B. Purkall and S. Ruddy (USA) 213

Contents of volume 202 217

Notes to authors 219